

Yoswit Smart Main Entrance Panel - 15.6 Inch Datasheet

Model: YO191-MEP-156 (R2)

Revised: 01-12-2024



Smart Main Entrance Panel for Ultimate Security & Convenience

Yoswit Smart Main Entrance Panel merges sleek design with advanced technology, ensuring both security and convenience. Available in multiple screen sizes, it caters to diverse access needs while complementing various architectural styles. Durable yet visually appealing, it enhances the entrance's overall aesthetic. With a high-definition display, users can easily identify visitors and grant access with just a touch. Equipped with advanced features such as a QR scanner, smart card reader, and customizable security settings, this panel ensures that your main entrance remains secure and easy to manage. Designed for seamless integration with a wide range of access control systems, it is the ideal solution for modern access management needs.

Key Features and Benefits

- Available in Multiple Screen Sizes
- Durable and Aesthetically Pleasing
- High-Definition Display with Touch Access
- Customizable Security Settings
- Wide Compatibility with Access Control Systems

Interface Function

Device Interface	
1	RJ45 Port: The device can be connected to the network line.
2	USB2.0: Can connect to mouse or other devices.
3	ADB Interface: Can use ADB tools for debugging.
4	USB2.0: Can connect to mouse or other devices.
5	HDMI: Audio and video signals can be sent simultaneously.
6	Power Interface: DC12V.


Product Specifications

Color Option:



Black

Specifications:



General Specifications

Product Name	Yoswit Smart Main Entrance Panel - 15.6 Inch
Model	YO191-MEP-156 (R2)
EAN / UPC	EAN: 0765756497541 / UPC: 765756497541
Revision	V1.0
Compliance	CE, FCC, RoHS
Manufacturer	Designed by Yoswit in Hong Kong, China / Assembled in Guangdong, China
Warranty	Two Year Limited Warranty (*Details available on the Product Warranty and Limitations of this datasheet)

Display Parameters

Size	15.6-Inch
Type	Colorful TFT LCD
Resolution	1980*1080
Screen Ratio	16:9
Operation Method	Capacitive Touch Screen, Physical Button
Operating Voltage	DC 12V
Operating Temperature	-10°C to 65°C
Operating Humidity	0%-95% RH, Non-Condensing

Outer Box



Quantity Per Box: 8 Pack / Box
Measurement: 58 x 31 x 23.5 (cm)

Product Warranty and Limitations

Yoswit brand products guarantee for a period of 2 years warranty from the date of purchase. During the warranty period and in the event that a defective product is identified (non-human factors), Yoswit will provide free maintenance. Damage beyond the warranty period or caused by improper use is not covered within the warranty, Yoswit will not bear any responsibility for repair, and will still provide users with a lifelong maintenance of paid services. If the products need to be repaired or returned to our company, an appropriate fee should be charged based on specific situation to cover the cost of replacement. Regardless of the warranty status, all shipping costs are borne by users.

LINCOGN TECHNOLOGY CO. LIMITED

Address: Room 202, 2/F, Building No. 19 West Science and Technology Avenue, Science Park, Shatin, N.T., Hong Kong
info@yoswit.com | Tel: (852) 3996 9396 | Fax: (852) 3119 8778 | www.yoswit.com